Charges for Damages

At the end of your lease term, Owner, expects that its property will be returned in the same condition as it was when you first took occupancy of it. Property Owner maintains detailed records and photographs of each property. Any changes to the property that occur during your lease term will be charged against your security deposit in accordance with the chart below.

Immediate Administrative Fee:			\$35 + 5% of Total D	amages			
REPAIR	FEE		REPAIR	FEE			
Heavy Cleaning, per room*	\$50		Cabinet door, small [∆]	\$95			
Light Cleaning, per room*	\$35		Cabinet door, large [∆]	\$110			
Cleaning, bathroom or kitchen*	\$85		Replace Broken Window	\$325			
Paint, per wall*	\$80		Bathroom fixture or similar	\$35			
Paint, per room*	\$300		Appliance Replacement, per item	\$450			
Wall Repair, per hole, small†	\$35		Bathroom faucet	\$100			
Wall Repair, per hole, large†	\$50		Bed or part thereof missing or irreparable	\$175			
Wall Repair, 3+ holes/scars†	\$100		Door Frame Replacement	\$100			
Tiny hole repair (tack holes only),			Interior Door Repair/Replacement \$235				
3+ holes, up to entire room†	\$50		Exterior Door Repair/Replacemen	t \$570			
Wall Replaced†	\$250		Missing/Damaged Smoke Detecto	r \$55			
Above damages, applied to			Refill Discharged Fire Extinguishe	er \$95			
ceiling†	+20 %		Replace Missing Fire Extinguisher	\$95			
Ceiling tile	\$15		Replace Missing Keys—per Key	\$25			
Carpet Cleaning, per room*	\$75		Remaster Key Tumbler	\$115			
Carpet Replacement, per room*	\$425		Misc. Repair Cost of Labor & Ma	aterials			
Refrigerator Cleaning	\$50		-				

^{*} A "room" is any space of up to 200 square feet of floor with eight-foot-high ceilings; charges will be adjusted proportionately to reflect actual dimensions.



	Annual .	addition.	sussession		4	MA AND AND A M M AND	
nitials:	Home	Awa	y From	Home i	n E	Bloomsburg	

[†] Repair work only; Does not include paint.

 $[\]Delta$ Cabinet door charge can increase dramatically if style of cabinet is no longer manufactured and/or entire cabinet replacement is necessary.